目录
INDEX

	PAGE
企业简介 ABOUT JANES	2~11
大档盖筒式球形门锁系列 GRADE 3 HEAVY-DUTY CYLINDRICAL KNOB SERIES	12~16
小档盖筒式球形门锁系列 GRADE 3 CYLINDRICAL KNOB SERIES	17~19
建筑用锁系列 WAFER LOCK SERIES	20~22
半圆三杆式球型锁系列 GRADE 3 TUBULAR KNOB SERIES (HALF-ROUND SPINDLE)	23~25
方管三杆式球型锁系列 GRADE 3 TUBULAR KNOB SERIES (SQUARE SPINDLE)	26~28
执手锁系列 GRADE 3 LEVER SERIES	29~31
重型三杆式执手锁系列 GRADE 3 HEAVY-DUTY TUBULAR LEVER SERIES (SQUARE SPINDLE)	32~35
三级呆锁系列 GRADE 3 DEADBOLT SERIES	36~37
二级筒式球形门锁系列 GRADE 2 CYLINDRICAL KNOB SERIES	38~40
二级筒式执手锁系列 GRADE 2 CYLINDRICAL LEVER SERIES	41~42
二级呆锁系列 GRADE 2 DEADBOLT SERIES	43~44
锁舌系列 LATCH SERIES	45
豪华锌合金把手插芯锁系列 ZINC MORTISE LOCK SERIES	46~52
豪华欧式锌合金把手插芯锁系列 ZINC MORTISE LOCK SERIES	53~55
豪华欧式锌合金分体插芯锁系列 ZINC MORTISE LOCK SERIES	56~59
豪华铝合金把手插芯锁系列 ALUMINIUM MORTISE LOCK SERIES	60
豪华移门锁系列 SLIDING LOCK SERIES	61
豪华铜锻铸大门锁系列 BRASS HANDLESETS SERIES	62~63
豪华锌合金大门锁系列 ZINC HANDLESETS SERIES	64~69
锁体系列 MORTISE LOCK CASE SERIES	70
五金系列 HARDWARE SERIES	71~88

实在坚士锁 • 只为主人开
THE REALIBLE JANES OPENS ONLY FOR THE HOST

ANSI Grade 2&3
美国五金行业协会BHMA标准 ANSI 2,3级认证
US BHMA ANSI GRADE 2 & GRADE 3

ISO 9001:2000认证
ISO 9001:2000 Certify

中国十大锁具质量品牌
China Top 10 Quality Brand for locks

广东省著名商标
Guangdong Famous Trademark

广东省名牌产品
Guangdong Top Brand



生产状况

广东坚士制锁有限公司拥有诸多国内外引进的大型， 现代化， 全自动生产设备； 凭借着超过18年的锁具制作经验一直处于国内领先地位。同时公司重视生产流程的持续性改进， 引进了专业的 “精益生产” 管理团队不断地对生产流程进行改善， 从而缩短生产交货期为客户提供更高的效益。



Production

Guangdong Janes Lock Co., Ltd is equipped with advanced and high production efficient automated machines from Euro, Japan, Taiwan etc. And we have more then 18 years experience of door lock manufacturing that keep us in the top position of the door lock manufacturing industry. We also pays much attention to process improvement, we have our own Industry Engineering team to improve production efficiency and shorten the manufacturing lead-time.





工程研发

广东坚士制锁有限公司，拥有200名专业，优秀的工程技术人员，其中产品研发工程师20名。
公司以技术（技术提升）为中心，从日本,台湾等地引进多台具有世界先进水平的机加工设备，数控设备。
凭借着过硬的技术研发能力，目前坚士与多家世界顶级五金制造供应商有着良好的合作。

Engineering

Janes Lock has owned more than 200 professional mechanics, and 20 developing engineers. Janes has always introduced the necessary equipments which utilize the latest technology to retain our engineering strength.

历史轨迹

1988年 成立“中山南光锁厂”(暨广东坚士制锁有限公司)
1995年 成立自主品牌“坚士”牌(国内)和“JANSE LOCK”牌(国外)
1996年 荣获中国保护消费者基金会颁发的“消费者信得过产品”奖
1996年 荣获美国国际轻工产品博览会金奖
1997年 荣获中国企业品牌调查委员会颁发的“中国名牌”奖
1998年 荣获广东省乡镇企业管理局颁发的“广东省乡镇企业百强企业”奖
1999年 荣获广东省质量奖审定委员会颁发的“广东省优质产品”奖
1999年 荣获中山市技术监督局颁发的“产品质量信得过企业”奖
2000年 荣获中山市人民政府颁发的“重合同守信用企业”奖
2000年 门锁产品通过美国五金行业协会（ANSI）三级(GRADE 3)认证
2002年 荣获古镇镇人民政府颁发的“古镇镇十大强优企业”奖
2003年 通过 ISO 9001:2000体系认证（通过SGS获得）
2003年 荣获中山市人民政府颁发的“中山市先进民营企业”奖
2003年 成功引入金蝶公司的K3电子化企业资源管理系统（K3 ERP)
2003年 荣获中国质量检验协会颁发的“国家质量检测合格产品”奖
2003年 成功开发千层锁符合美国BHMA标准
2004年 成为中山市消费者协会的“中山市诚信加盟单位”
2005年 门锁产品成功通过美国五金行业协会（ANSI）二级(GRADE 2)认证
2005年 荣获质量监督局颁发的“广东名牌”奖
2006年 引入“精益生产管理”顾问团队
2006年 荣获中国国际锁具行业品牌年会颁发的“中国锁具行业经济50强”奖项
2006年 斥资2亿人民币投建位于珠海市的现代化生产基地
2007年 圆满完成从中山生产基地到珠海生产基地的搬迁工作
2007年 成功开发铜挂锁符合美国BHMA标准
2008年 成功开发铝挂锁符合美国BHMA标准
2008年 荣获珠海市国家和地方税务局颁发的“A级纳税人”奖
2008年 荣获广东省珠海市工商行政管理局颁发的“守合同重信用企业”奖
2008年 荣获珠海市斗门区消费者委员颁发的“消费者满意单位”奖
2008年 荣获广东工商行政管理局颁发的“广东著名商标”奖

Janes Lock History

1988s Zhongshan Nanguang Lock Factory(Guangdong Janes Lock Co., Ltd) established.
1995s Register the brand "Janes Lock".
1996s "The Gold Award of American Evaluation Committee of International Light Industry Exhibition".
1997s "The China Famous Mark" award.
2000s Door Lock products pass the ANSI Grade 3 certification.
2003s ISO 9001:2000 certification.
2003s Apply the K3 ERP (Enterprise Resources Planing) system.
2003s Developed the Steel Laminated Padlock product and apply the BHMA standard.
2005s Door Lock products pass the ANSI Grade 2 certification.
2005s Guaongdong Top Brand award.
2006s Apply the "Lean Manufacturing"(Industry Engineering) consultant team.
2006s Invest 200,000,000RMB for the new Zhuhai manufacturing plant.
2007s Completed the transportation from Zhongshan facility to Zhuhai facility.
2007s Developed the Brass Padlock product and apply the BHMA standard.
2008s Developed the Aluminium Padlock product and apply the BHMA standard.
2008s Guangdong Famous Trademark award.

www.janes-lock.com.cn

实在坚士锁 • 只为主人开

THE REALIBLE JANES OPENS ONLY FOR THE HOST

Door lock series

球形门锁系列

GRADE 3 HEAVY-DUTY CYLINDRICAL KNOB SERIES

GUANGDONG JANES LOCK CO., LTD.

9221-PB/BS-ET

大档盖筒式球形门锁系列

GRADE 3 HEAVY-DUTY CYLINDRICAL KNOB SERIES

产品规格：

- 外饰零件：采用高档不锈钢或者铜材质， 铜材质可电镀各种颜色。
- 钥匙：产品配美国标准Y1钥匙槽，三条铜镀镍钥匙。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准中心距60mm,可选用70mm中心距。

产品特点：

- 通用于左开门和右开门。
- 产品符合美国ANSI 三级标准。

SPECIFICATIONS:

- Exposed Trim: Wrought brass or stainless steel. Brass material available plated to match finishes indicated.
- Keying: 5-pins tumbler Y1 keyway with three brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: 2-3/8" (60mm) as standard backset, and 2-3/4" (70mm) backset available.

STANDARD FEATURES:

- Completely left hand and right hand door reversible.
- Meets 200,000 cycles ANSI A156.2 Grade 3 requirements.

1. 双层球体结构，安全性强。
   Two piece knob for better security.
2. 产品采用圆筒式锁体结构，内部零件表面钝化处理具抗腐蚀能力。
   Wrought steel cylindrical lock housing with chromated finish for better corrosion resistance.
3. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.



此系列产品可选球形，档盖(Products styles available):

9210-PB-ET

5790-PB/BS-ET

9212-BN/BS-ET

9213-PB/SS-ET

5733-SP/SS-ET

5735-PB/BS-ET

5733-PB/BS-ET

5731-SS-ET

5831-PB-ET

5832-PB/BS-ET

5831-SP-ET

5833-SP/SS-ET


201-PB/BS-ET

201-SP/SS-ET

5870-SS-PS

5870-G/PB-ET

钥匙槽说明(Keyways available):

KW1

SC1


Y1
(标准,Standard Keyway)

WR5

代码注释 How to order.

587 (产品型号MODEL)　PB (表面处理FINISH)　BK (性能FUNCTION)

此系列产品可选球形，档盖(Products styles available):

5732-PB/SS-ET

5833-PB/SS-ET

5721-PB/SS-ET

9216-BN/AC-ET

9215-BN/AC-ET

9211-BN/AC-ET

9214-AC-ET

9217-BN/AC-ET

9210-B/PB-ET


9210-Z/PB-ET

9210-Y/PB-ET

9210-W/PB-ET

9210-K/PB-ET

5807-E/PB-ET

5807-K/PB-ET

5807-F/PB-ET

钥匙槽说明(Keyways available):

KW1

SC1

Y1
(标准,Standard Keyway)

WR5

代码注释 How to order.

587 (产品型号MODEL)　PB (表面处理FINISH)　BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	1. 压下内执手的按钮可锁定外执手。 2. 转动内执手或用钥匙在外执手开启锁舌。 3. 按下按钮再旋到水平位置可使外执手常处于闭锁状态，装按钮回旋到垂直位置才能使按钮释放。 4. 内执手可随时开启。 1. The key or thumb-turn locks or unlock the knobs. 2. Outside knob may be retained in locked position by pushing and turning button clockwise to a horizontal position: not released until button is manually returned to the vertical position. 3. Inside knob always active.	1. 转动内执手按钮自动释放。 2. 按下内执手按钮后外执手不能开启锁舌。 3. 在应急孔插入无齿钥匙或者小螺丝刀转动则能从门外将锁打开。 4. 内执手可随时开启。 1. Pushing inside button locks the outside knob. 2. Button automatically releases when inside knob is turned or door is closed. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside. 3. Inside knob always active.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
所有型号 ALL MODEL	✓	✓	✓	✓	✓

产品功能表(Function list):

编号CODE	PT	CC	CL	EL	DM
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单向连通锁 Communication Lock	单边锁 Exit Latch	单侧装饰锁 Dummy Trim
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. 2. Inside knob always active. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, "key in either knob locks and unlocks independently of the other.	锁匙可使执手开启或者关闭。 Latch bolt operated by key or rotateing knob. Fully turn of key locks or unlocks the knob.	执手可随时开启锁舌。 The knob operated the latch bolt at all times.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.
所有型号 ALL MODEL	✓	✓	✓	✓	✓

587-PB-ET

小档盖筒式球形门锁系列
GRADE 3 CYLINDRICAL KNOB

产品规格：
- 外饰零件：采用高档不锈钢或者铜材质， 铜材质可电镀各种颜色。
- 钥匙：产品配美国标准Y1钥匙槽，三条铜镀镍钥匙。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准中心距60mm,可选用70mm中心距。

产品特点：
- 通用于左开门和右开门。
- 产品符合美国ANSI 三级标准。

SPECIFICATIONS:
- Exposed Trim: Wrought brass or stainless steel. Brass material available plated to match finishes indicated.
- Keying: 5-pins tumbler Y1 keyway with three brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: 2-3/8" (60mm) as standard backset, and 2-3/4" (70mm) backset available.

STANDARD FEATURES:
- Completely left hand and right hand door reversible.
- Meets 200,000 cycles ANSI A156.2 Grade 3 requirements.

1. 双层球体结构，安全性强。
Two piece knob for better security.

2. 产品采用圆筒式锁体结构，内部零件表面钝化处理具抗腐蚀能力。
Wrought steel cylindrical lock housing with chromated finish for better corrosion resistance.

3. 可选用工字珠以增强锁胆防撬性能。
Spool pins available for picking resistance.



此系列产品可选球形，档盖(Products styles available):



可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	587	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	578	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	586	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	581	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	570	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	572	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

钥匙槽说明(Keyways available):

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	1. 压下内执手的按钮可锁定外执手。 2. 转动内执手或用钥匙在外执手开启锁舌。 3. 按下按钮再旋到水平位置可使外执手常处于闭锁状态，装按钮回旋到垂直位置才能使按钮释放。 4. 内执手可随时开启。 1. The key or thumb-turn locks or unlock the knobs. 2. Outside knob may be retained in locked position by pushing and turning button clockwise to a horizontal position: not released until button is manually returned to the vertical position. 3. Inside knob always active.	1. 转动内执手按钮启动释放。 2. 按下内执手按钮后外执手不能开启锁舌。 3. 在应急孔插入无齿钥匙或者小螺丝刀转动则能从门外将锁打开。 4. 内执手可随时开启。 1. Pushing inside button locks the outside knob. 2. Button automatically releases when inside knob is turned or door is closed. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside. 3. Inside knob always active.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
587	✓	✓	✓	✓	✓
578	✓	✓	✓	✓	✓
586	✓	✓	✓	✓	✓
581	✓	✓	✓	✓	✓
570	✓	✓	✓	✓	✓
572	✓	✓	✓	✓	✓

产品功能表(Function list):

编号CODE	PT	CC	CL	EL	DM
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单向连通锁 Communication Lock	单边锁 Exit Latch	单侧装饰锁 Dummy Trim
描述 DESCRIPTION	锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. Inside knob always active. 2. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, *key in either knob locks and unlocks independently of the other.	锁匙可使执手开启或者关闭。 Latch bolt operated by key or rotateing knob. Fully turn of key locks or unlocks the knob	执手可随时开启锁舌。 The knob operated the latch bolt at all times.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.
型号 MODEL					
587	✓	✓	✓	✓	✓
578	✓	✓	✓	✓	✓
586	✓	✓	✓	✓	✓
581	✓	✓	✓	✓	✓
570	✓	✓	✓	✓	✓
572	✓	✓	✓	✓	✓

568-PB-ET

建筑用锁系列
WAFER LOCK SERIES

产品规格：
- 钥匙：产品叶片式锁胆配三条镀镍铁钥匙。
- 适装门厚：可安装于从35mm到45mm的标准门厚。
- 中心距：标准中心距60mm，可选用70mm中心距。

产品特点：
- 产品采用圆筒式锁体结构，内部零件表面钝化处理具抗腐蚀能力。
- 通用于左开门和右开门。
- 产品保障150，000次开合。

SPECIFICATIONS:
- Keying: Disc tumbler cylinder with 3 steel nickel plated keys.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: 2-3/8"(60mm) as standard backset, and 2-3/4"(70mm) backset available.

STANDARD FEATURES:
- Wrought steel cylindrical lock housing with chromated finish for better corrosion resistance.
- Completely left hand and right hand door reversible.
- Guaranteed for 150,000 life cycles.

1. 产品经济适用于住宅首次装锁。
   Economic knob for first installation in residential use.
2. 叶片式锁胆结构。
   Disc tumbler cylinder for better cost.



此系列产品可选球形，档盖(Products styles available):

567-SS-ET

566-AB-ET

568-PB-ET

588-SS-ET

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢砂光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	567	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	566	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	568	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	588	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

产品功能表(Function list):					
编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	1. 压下内执手的按钮可锁定外执手。 2. 转动内执手或用钥匙在外执手开启锁舌。 3. 按下按钮再旋到水平位置可使外执手常处于闭锁状态，装按钮回旋到垂直位置才能使按钮释放。 4. 内执手可随时开启。 1. The key or thumb-turn locks or unlock the knobs. 2. Outside knob may be retained in locked position by pushing and turning button clockwise to a horizontal position: not released until button is manually returned to the vertical position. 3. Inside knob always active.	1. 转动内执手按钮自动释放。 2. 按下内执手按钮后外执手不能开启锁舌。 3. 在应急孔插入无齿钥匙或者小螺丝刀转动则能从门外将锁打开。 4. 内执手可随时开启。 1. Pushing inside button locks the outside knob. 2. Button automatically releases when inside knob is turned or door is closed. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside. 3. Inside knob always active.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
567	✓	✓	✓		
566	✓	✓	✓		
568	✓	✓	✓		
588	✓	✓	✓		

产品功能表(Function list):					
编号CODE	PT	CC	CL	EL	DM
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单向连通锁 Communication Lock	单边锁 Exit Latch	单侧装饰锁 Dummy Trim
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. 2. Inside knob always active. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, *key in either knob locks and unlocks independently of the other.	锁匙可使执手开启或者关闭。 Latch bolt operated by key or rotateing knob. Fully turn of key locks or unlocks the knob	执手可随时开启锁舌。 The knob operated the latch bolt at all times.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.
型号 MODEL					
567					
566					
568					
588					

半圆三杆式球型锁系列
GRADE 3 TUBULAR KNOB SERIES (HALF-ROUND SPINDLE)

产品规格：
- 外饰零件：采用高档铜材质，可电镀各种颜色。
- 钥匙：产品配美国标准KW1钥匙槽，两条铜镀镍钥匙，多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm或者70mm。

产品特点：
- 产品采用半月形三杆锁体结构，内部零件表面钝化处理具抗腐蚀能力。
- 通用于左开门和右开门。
- 产品由三个组件组成，安装简单方便。
- 产品符合美国ANSI 三级标准。

SPECIFICATIONS:
- Exposed Trim: Wrought brass based plated to match finishes indicated.
- Keying: 5-pins tumbler KW1 keyway with two brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4"(35mm to 45mm) standard.
- Backset: Adjustable 2-3/8"(60mm) and 2-3/4"(70mm) backset.

STANDARD FEATURES:
- Wrought steel half round tubular lock housing with chromated finish for better corrosion resistance.
- Completely left hand and right hand door reversible.
- Three-piece assembly for fast easy installation.
- Meets 200,000 cycles ANSI A156.2 Grade 3 requirements.

1. 可选配防撬罩增强安全性。 Anti-pry shield available.
2. 可选用工字珠以增强锁胆防撬性能。 Spool pins available for picking resistance.
3. 锁胆可简易装卸，换珠简单方便。 Removable cylinder core for easy rekeying.
4. 可选用双弹簧结构，操作灵活。 Double torsion spring available for smooth operation.



此系列产品可选球形，档盖(Products styles available):

576-PB-ET

575-AB-ET

576-1-PB-ET

可选用双弹簧结构，操作灵活。
Double torsion spring available for smooth operation.

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	576	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	575	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	576-1	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	575-1	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓

钥匙槽说明(Keyways available):

KW1
(标准,Standard Keyway)

SC1

Y1

WR5

代码注释(How to order):

587 (产品型号MODEL)　PB (表面处理FINISH)　BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	用钥匙和内执手旋钮均可锁上和开启内外执手。 The key or thumb-turn locks or unlock the knobs.	1. 内执手旋钮锁上和开启内外执手。 2. 在应急孔插入无齿钥匙或者小螺丝刀转动可从门外将锁打开。 1. Inside thumb turn to locks or unlock the knobs. 2. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
576	✓	✓	✓		
575	✓	✓	✓		
576-1	✓	✓	✓		
575-1	✓	✓	✓		

产品功能表(Function list):

编号CODE	PT	CC	DM		
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单侧装饰锁 Dummy Trim		
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. Inside knob always active.Button 2. automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, *key in either knob locks and unlocks independently of the other.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.		
型号 MODEL					
576		✓			
575		✓			
576-1					
575-1					

592-PB-ET

方管三杆式球型锁系列
GRADE 3 TUBULAR KNOB SERIES(SQUARE SPINDLE)

产品规格：
- 外饰零件：采用高档不锈钢或者铜材质，铜材质可电镀各种颜色。
- 钥匙：产品配美国标准KW1钥匙槽，三条铜镀镍钥匙，多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm或者70mm。

产品特点：
- 产品采用方管式三杆锁体结构，内部零件表面钝化处理具抗腐蚀能力。
- 通用于左开门和右开门。
- 产品由三个组件组成，安装简单方便。
- 产品符合美国ANSI 三级标准。

1 双层球体结构，安全性强。
Two piece knob for better security.

2 双锁体弹簧结构，操作灵活。
Double spring for smooth operation.

3 可选用工字珠以增强锁胆防撬性能。
Spool pins available for picking resistence.

4 锁胆有底部换珠槽，换珠简单方便。
Buttom loaded cylinder house for easy rekeying.

5 可选配防撬罩增强安全性。
Anti-pry shield available.

SPECIFICATIONS:
- Exposed Trim: Wrought brass or stainless steel. Brass material available plated to match finishes indicated.
- Keying: 5-pins tumbler KW1 keyway with three brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4"(35mm to 45mm) standard.
- Backset: Adjustable 2-3/8"(60mm) and 2-3/4"(70mm) backset.

STANDARD FEATURES:
- Wrought steel tubular lock housing with chromated finish for better corrosion resistance.
- Completely left hand and right hand door reversible.
- Three-piece assembly for fast easy installation.
- Meets 200,000 cycles ANSI A156.2 Grade 3 requirements.

此系列产品可选球形，档盖(Products styles available):

609-PB-ET

607-ORB-ET

592-PB-ET

598-AC-ET

202-SN-PS

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	609	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	607	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	592	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	598	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	202	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓

钥匙槽说明(Keyways available):

KW1
(标准,Standard Keyway)

SC1

Y1

WR5

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

产品功能表(Function list):					
编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	用钥匙和内执手旋钮均可锁上和开启内外执手。 The key or thumb-turn locks or unlock the knobs.	1. 内执手旋钮锁上和开启内外执手。 2. 在应急孔插入无齿钥匙或者小螺丝刀转动可从门外将锁打开。 1. Inside thumb turn to locks or unlock the knobs. 2. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
609	✓	✓	✓	✓	✓
607	✓	✓	✓	✓	✓
592	✓	✓	✓	✓	✓
596	✓	✓	✓	✓	✓
202	✓	✓	✓	✓	✓

产品功能表(Function list):					
编号CODE	PT	CC	DM		
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单侧装饰锁 Dummy Trim		
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. Inside knob always active.Button 2. automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, *key in either knob locks and unlocks independently of the other.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.		
型号 MODEL					
609	✓	✓	✓		
607	✓	✓	✓		
592	✓	✓	✓		
596	✓	✓	✓		
202	✓	✓	✓		

801-PB-ET

执手锁系列
GRADE 3 LEVER SERIES

产品规格：
- 外饰零件：执手采用高档锌合金材质，档盖采用高档不锈钢或者铜材质，可电镀各种颜色。
- 钥匙：产品配美国标准KW1钥匙槽，两条铜镀镍钥匙。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm或者70mm。

产品特点：
- 产品采用方管式三杆锁体结构。
- 通用于左开门和右开门。
- 产品由三个组件组成，安装简单方便。
- 产品符合美国ANSI 三级标准。

SPECIFICATIONS:
- Exposed Trim: Levers are zinc based, and roses are made of brass or steel, could be plated to match finishes indicated.
- Keying: 5-pins tumbler KW1 keyway with two brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: Adjustable 2-3/8" (60mm) and 2-3/4" (70mm) backset.

STANDARD FEATURES:
- Wrought steel tubular lock housing.
- Completely left hand and right hand door reversible.
- Three-piece assembly for fast easy installation.
- Meets 200,000 cycles ANSI A156.2 Grade 3 requirements.

1. 双锁体弹簧结构，操作灵活。
   Double spring for smooth operation(For Tubular).
2. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
3. 锁胆有底部换珠槽，换珠简单方便。
   Bottom loaded cylinder house for easy rekeying.
4. 可选配防撬罩增强安全性。
   Anti-pry shield available(For Tubular).

此系列产品可选球形，档盖(Products styles available):

808-SS-ET

3820-SN-BK

801-PB-ET

802-SP-ET


803-PB-ET *

5900-PB/BN-ET *

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	砂金 ORB OIL RUB BRONZE	砂金 TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	808	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	3820	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	802	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	803	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5900	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

附注：“*”简式 锁体结构，无ANSI三级认证，不可调60mm或70mm锁舌。
* Note：Cylindriacal lock housing, non ANSI Grade 3 certify, non-adjustable latch.

产品功能表(Function list):

编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	用钥匙和内执手旋钮均可锁上和开启内外执手。 The key or thumb-turn locks or unlock the knobs.	1. 内执手旋钮锁上和开启内外执手。 2. 在应急孔插入无齿钥匙或者小螺丝刀转动可从门外将锁打开。 1. Inside thumb turn to locks or unlock the knobs. 2. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
808	✓	✓	✓		
3820	✓	✓	✓		
802	✓	✓	✓		
801	✓	✓	✓		
803	✓	✓	✓		
5900	✓	✓	✓		

产品功能表(Function list):

编号CODE	PT	CC	DM		
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单侧装饰锁 Dummy Trim		
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. 2. Inside knob always active. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, *key in either knob locks and unlocks independently of the other.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.		
型号 MODEL					
808			✓		
3820			✓		
802			✓		
801			✓		
803			✓		
5900			✓		

钥匙槽说明(Keyways available):

KW1 (标准,Standard Keyway)

SC1

Y1

WR5

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

重型三杆式执手锁系列
GRADE 3 HEAVY-DUTY TUBULAR LEVER SERIES(SQUARE SPINDLE)

产品规格：
- 外饰零件：采用高档不锈钢，锌合金或者铜材质，铜和锌合金材质可电镀各种颜色。
- 钥匙：产品配美国标准KW1钥匙槽，两条镀镍钥匙。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm或者70mm。

产品特点：
- 产品采用方管式三杆锁体结构。
- 通用于左开门和右开门。
- 产品由三个组件组成，安装简单方便。
- 产品符合美国ANSI 三级标准。

SPECIFICATIONS:
- Exposed Trim: Wrought brass , zinc or stainless steel. Brass and zinc material available plated to match finishes indicated.
- Keying: 5-pins tumbler KW1 keyway with two brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: Adjustable 2-3/8" (60mm) and 2-3/4" (70mm) backset.

STANDARD FEATURES:
- Wrought steel tubular lock housing.
- Completely left hand and right hand door reversible.
- Three-piece assembly for fast easy installation.
- Meets 200,000 cycles ANSI A156.2 Grade 3 requirements.

1. 双锁体弹簧结构，操作灵活。
   Double spring for smooth operation.
2. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
3. 锁胆有底部换珠槽，换珠简单方便。
   Bottom loaded cylinder house for easy rekeying.
4. 可选配防撬罩增强安全性。
   Anti-pry shield available.

此系列产品可选球形，档盖(Products styles available):

804-PB-ET	805-PB-ET	806-TB-BK
813-SN-PS	815 BS BK *	817 BS BK *
818 SP/SS BK *	819 PB/BS ET *	820 PB/BS BK *
821 SS BK *	822 BS BK *	823 PB/BS BK *

钥匙槽说明(Keyways available):				代码注释(How to order):		
KW1 (标准,Standard Keyway)	SC1	Y1	WR5	587 (产品型号MODEL)	PB (表面处理FINISH)	BK (性能FUNCTION)

此系列产品可选球形，档盖(Products styles available):

不锈钢材质
Stainless Steel material

SS850 SS BK *

不锈钢材质
Stainless Steel material

SS851 SS BK *

不锈钢材质
Stainless Steel material

SS852 SS BK *

附注：“*”无防撬罩，无ANSI三级认证，锁舌不可调中心距。
* Note：Anti-Pry shield not available, non ANSI Grade 3 certify, non-adjustable backset latch.

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	804	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	805	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	806	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	813	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
	815			✓	✓					✓			✓
	817			✓	✓					✓			✓
	818			✓	✓					✓			✓
	819			✓	✓					✓			✓
	820			✓	✓					✓			✓
	821			✓	✓					✓			✓
	822			✓	✓					✓			✓
	823			✓	✓					✓			✓
	SS850							✓	✓				
	SS851							✓	✓				
	SS852							✓	✓				

钥匙槽说明(Keyways available):

KW1
(标准,Standard Keyway)

SC1

Y1

WR5

代码注释(How to order):

587 (产品型号MODEL) PB (表面处理FINISH) BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	用钥匙和内执手旋钮均可锁上和开启内外执手。 The key or thumb-turn locks or unlock the knobs.	1. 内执手旋钮锁上和开启内外执手。 2. 在应急孔插入无齿钥匙或者小螺丝刀转动可从门外将锁打开。 1. Inside thumb turn to locks or unlock the knobs. 2. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
804 / 805 / 806	✓	✓	✓		
813		✓	✓		
815 / 819	✓	✓	✓		
817 / 818 / 820 / 821 / 822 / 823		✓	✓		
SS850 / SS851 / SS852		✓	✓		

产品功能表(Function list):

编号CODE	PT	CC	DM		
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单侧装饰锁 Dummy Trim		
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. 2. Inside knob always active. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, "key in either knob locks and unlocks independently of the other.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.		
型号 MODEL					
804 / 805 / 806			✓		
813			✓		
815 / 819					
817 / 818 / 820 / 821 / 822 / 823					
SS850 / SS851 / SS852					

三级呆锁系列
GRADE 3 DEADBOLT SERIES

产品规格：
- 外饰零件：采用高档不锈钢或者铜材质，铜材质可电镀各种颜色。
- 钥匙：产品配美国标准KW1钥匙槽，三条铜镀镍钥匙。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm或者70mm。

产品特点：
- 产品内部零件钝化处理增强抗腐蚀性能。
- 25mm(1")长度锁舌，安全强度好。
- 产品由三个组件组成，安装简单方便。
- 产品符合美国ANSI 三级标准。

SPECIFICATIONS:
- Exposed Trim: Wrought brass or stainless steel. Brass material available plated to match finishes indicated.
- Keying: 5-pins tumbler KW1 keyway with three brass keys. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: Adjustable 2-3/8" (60mm) and 2-3/4" (70mm) backset.

STANDARD FEATURES:
- Wrought steel housing with chromated finish for better corrosion resistance.
- High security full 1" throw zinc die cast deadbolt with chrome plated.
- Three-piece assembly for fast easy installation.
- Meets 200,000 cycles ANSI A156.5 Grade 3 requirements.

1. 可选加固圈增强安全性。
   Reinforcement collar available for better security.
2. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
3. 锁胆可选用带有底部换珠槽的锁胆套，方便锁胆换珠。
   Bottom loaded cylinder house available for easy rekeying.
4. 内置高强度防锯锁芯。
   hardened steel roller insert for sawing resistance.
5. 可选配防撬罩增强安全性。
   Anti-pry shield available.



ANSI Grade 3

此系列产品可选球形，档盖(Products styles available):



可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	D101	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	D102	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

钥匙槽说明(Keyways available):

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	ET	DM
名称 NAME	门锁 KEY EENTRY	门锁 KEY EENTRY	门吕锁 INTERIOR LOCK
描述 DESCRIPTION	单锁芯呆门锁 Single Cylinder Deadbolt	双锁芯呆门锁 Double Cylinder Deadbolt	门内旋钮操作锁舌 Interior Thumb Turn Deadbolt
型号 MODEL			
D101	✓		✓
D102		✓	✓

T5870-SS-ET

二级筒式球形门锁系列
GRADE 2 CYLINDRICAL KNOB SERIES

产品规格：
- 外饰零件：采用高档不锈钢或者铜材质，铜材质可电镀各种颜色。
- 钥匙：产品配美国标准SC1钥匙槽，三条铜镀镍钥匙。可选配6珠锁胆增强安全性。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm，可选70mm中心距。

产品特点：
- 产品内部零件钝化处理增强抗腐蚀性能。
- 产品符合美国ANSI 二级标准。

SPECIFICATIONS:
- Exposed Trim: Wrought brass or stainless steel. Brass material available plated to match finishes indicated.
- Keying: 5-pins tumbler SC1 keyway with three brass keys. 6 pins tumbler cylinder available. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: universal 2-3/8"(60mm) back, and 2-3/4"(70mm) backset available.

STANDARD FEATURES:
- Wrought steel housing with chromated finish for better corrosion resistance.
- Meets 200,000 cycles ANSI A156.2 Grade 2 requirements.

1. 双层球体结构，安全性强。
   Two piece knob for better security.
2. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
3. 锁胆可选用带有底部换珠槽的锁胆套，方便锁胆换珠。
   Bottom loaded cylinder house available for easy rekeying.
4. 可选用实心不锈钢锁舌，安全强度高。
   Solid stainless steel latch bolt available for maximize security.



此系列产品可选球形，档盖(Products styles available):

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
		青古	红古	仿金	砂金	ORB	TB	不锈钢砂光	不锈钢抛光	光铬	砂铬	白古	砂镍
FINISH DESCRIPTION	颜色说明	ANTIQUE BRASS	ANTIQUE COPPER	POLISHED BRASS	SATIN BRASS	OIL RUB BRONZE	TUSCAN BRONZE (ORB WITH HIGHLIGHT)	SATIN STAINLESS STEEL	POLISHED STAINLESS STEEL	BRIGHT CHROME	SATIN CHROME	ANTIQUE NICKEL	SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	T5870	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

钥匙槽说明(Keyways available):

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	1. 压下内执手的按钮可锁定外执手。 2. 转动内执手或用钥匙在外执手开启锁舌。 3. 按下按钮再旋到水平位置可使外执手常处于闭锁状态，装按钮回旋到垂直位置才能使按钮释放。 4. 内执手可随时开启。 1. The key or thumb-turn locks or unlock the knobs. 2. Outside knob may be retained in locked position by pushing and turning button clockwise to a horizontal position: not released until button is manually returned to the vertical position. 3. Inside knob always active.	1. 转动内执手或关门后按钮自动释放。 2. 按下内执手按钮后外执手不能开启锁舌。 3. 在应急孔插入无齿钥匙或者小螺丝刀转动则能从门外将锁打开。 4. 内执手可随时开启。 1. Pushing inside button locks the outside knob. 2. Button automatically releases when inside knob is turned or door is closed. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside. 3. Inside knob always active.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
T5870	✓	✓	✓		

产品功能表(Function list):

编号CODE	PT	CC	CL	EL	DM
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单向连通锁 Communication Lock	单边锁 Exit Latch	单侧装饰锁 Dummy Trim
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. 2. Inside knob always active. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, "key in either knob locks and unlocks independently of the other.	锁舌可使执手开启或者关闭。 Latch bolt operated by key or rotateing knob. Fully turn of key locks or unlocks the knob.	执手可随时开启锁舌。 The knob operated the latch bolt at all times.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.
型号 MODEL					
T5870					



二级简式执手锁系列
GRADE 2 CYLINDRICAL LEVER SERIES

T810-SS-ET

产品规格：
- 外饰零件：执手采用高档锌合金压铸，档盖采用高档不锈钢或者铜材质，铜材质可电镀各种颜色。
- 钥匙：产品配美国标准SC1钥匙槽，三条铜镀镍钥匙。可选配6珠锁胆。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm到45mm的标准门厚。
- 中心距：标准可调中心距60mm， 可选70mm中心距。

产品特点：
- 产品内部零件钝化处理增强抗腐蚀性能。.
- 产品符合美国ANSI 二级标准。

1. 内置弹簧结构，操作灵活方便。Torsion springs inside for smooth operation.
2. 可选用工字珠以增强锁胆防撬性能。Spool pins available for picking resistance.
3. 锁胆可选用带有底部换珠槽的锁胆套，方便锁胆换珠。Bottom loaded cylinder house available for easy rekeying.
4. 可选用实心不锈钢锁舌，安全强度高。Solid stainless steel latch bolt available for maximize security.

SPECIFICATIONS:
- Exposed Trim: levers are made of zinc die casting. and roses are stainless steel or brass based to match finishes indicated.
- Keying: 5-pins tumbler SC1 keyway with three brass keys. And 6-pins cylinder available. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: universal 2-3/8" (60mm) back, and 2-3/4" (70mm) backset available.

STANDARD FEATURES:
- Wrought steel housing with chromated finish for better corrosion resistance.
- Meets 200,000 cycles ANSI A156.2 Grade 2 requirements.



可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	ORB OIL RUB BRONZE	TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	T810	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

钥匙槽说明(Keyways available):

代码注释(How to order):

587 (产品型号MODEL) - PB (表面处理FINISH) - BK (性能FUNCTION)

产品功能表(Function list):					
编号CODE	ET	BK	PS	ST	CR
名称 NAME	门锁 KEY ENTRY	浴室锁 PRIVACY	通道锁 PASSAGE	仓库锁 / 酒店房间锁 Storeroom / Hotel room	教室锁 Classroom
描述 DESCRIPTION	1. 压下内执手的按钮可锁定外执手。 2. 转动内执手或用钥匙在外执手开启锁舌。 3. 按下按钮再旋到水平位置可使外执手常处于闭锁状态，装按钮回旋到垂直位置才能使按钮释放。 4. 内执手可随时开启。 1. The key or thumb-turn locks or unlock the knobs. 2. Outside knob may be retained in locked position by pushing and turning button clockwise to a horizontal position: not released until button is manually returned to the vertical position. 3. Inside knob always active.	1. 转动内执手或关门后按钮自动释放。 2. 按下内执手按钮后外执手不能开启锁舌。 3. 在应急孔插入无齿钥匙或者小螺丝刀转动则能从门外将锁打开。 4. 内执手可随时开启。 1. Pushing inside button locks the outside knob. 2. Button automatically releases when inside knob is turned or door is closed. A dummy key or applicable screw-driver inserted and turned in emergency slot will unlock door from outside. 3. Inside knob always active.	内外执手均可随时开启锁舌。 Either knob operates latch bolt at all times.	1. 转动内执手或用钥匙在外执手开启锁舌。 2. 外执手常为闭锁状态。 3. 内执手常为开启状态。 1. Latch bolt operated by inside knob and key from outside. 2. Outside knob always rigid. 3. Inside knob always active.	1. 门外钥匙可开启或者锁闭外执手。 2. 内执手常为开启状态。 1. Outside knob locked or unlocked by key in the outside knob. 2. Inside knob always free.
型号 MODEL					
T810	✓	✓	✓		

产品功能表(Function list):					
编号CODE	PT	CC	CL	EL	DM
名称 NAME	阳台锁 Patio	双向连通锁 Entry and Communication lock	单向连通锁 Communication Lock	单边锁 Exit Latch	单侧装饰锁 Dummy Trim
描述 DESCRIPTION	1. 锁舌由内外执手控制，外执手可由内执手的旋钮锁死。 2. 内执手常处于开启状态。 1. Either knob operates latch bolt unless outside knob is locked by push-button inside. 2. Inside knob always active. Button automatically releases when inside knob is turned.	两执手都必需处于开启状态时才能开门，两执手的开启和关闭均由各自钥匙独立控制。 Either knob operates latch bolt except when key in either knob locks the latch, "key in either knob locks and unlocks independently of the other.	锁匙可使执手开启或者关闭。 Latch bolt operated by key or rotateing knob. Fully turn of key locks or unlocks the knob	执手可随时开启锁舌。 The knob operated the latch bolt at all times.	用于门一侧的单侧虚设装饰。 Decorative trim for non-operational knob.
型号 MODEL					
T810					



二级呆锁系列
GRADE 2 DEADBOLT SERIES

产品规格：
- 外饰零件：采用高档不锈钢或者铜材质，铜材质可电镀各种颜色。
- 钥匙：产品配美国标准SC1钥匙槽，三条铜镀镍钥匙。可选配6珠锁胆增强安全性。多种钥匙槽可供选择。
- 适装门厚：可安装于从35mm 到45mm的标准门厚。
- 中心距：标准可调中心距60mm或者70mm。

产品特点：
- 产品内部零件钝化处理增强抗腐蚀性能。.
- 25mm(1")长度锁舌，安全强度好。
- 产品由三个组件组成，安装简单方便。
- 产品符合美国ANSI 二级标准。

SPECIFICATIONS:
- Exposed Trim: Wrought brass or stainless steel. Brass material available plated to match finishes indicated.
- Keying: 5-pins tumbler SC1 keyway with three brass keys. 6 pins cylinder available. Various keyways selectable.
- Door Range: 1-3/8" to 1-3/4" (35mm to 45mm) standard.
- Backset: Adjustable 2-3/8"(60mm) and 2-3/4"(70mm) backset.

STANDARD FEATURES:
- Wrought steel housing with chromated finish for better corrosion resistance.
- High security full 1" throw zinc die cast deadbolt with chrome plated.
- Three-piece assembly for fast easy installation.
- Meets 200,000 cycles ANSI A156.5 Grade 2 requirements.

1. 锁体采用实心锌合金压铸，安全强度好。Solid zinc die casting body with maximize security.
2. 可选用工字珠以增强锁胆防撬性能。Spool pins available for picking resistance.
3. 锁胆可选用带有底部换珠槽的锁胆套，方便锁胆换珠。Bottom loaded cylinder house available for easy rekeying.
4. 内置高强度防锯锁芯。hardened steel roller insert for sawing resistance.
5. 内置加强板，具防钻性能。Anti-drilling plate inside.
6. 可选配防撬罩增强安全性。Anti-pry shield available.



ANSI Grade 2

此系列产品可选球形，档盖(Products styles available):

TD101-SS-ET

TD102-SS-ET

可选表面处理列表(Finishes available):

FINISH CODE	颜色编号	AB	AC	PB	SB	ORB	TB	SS	SP	CP	SC	AN	SN
FINISH DESCRIPTION	颜色说明	青古 ANTIQUE BRASS	红古 ANTIQUE COPPER	仿金 POLISHED BRASS	砂金 SATIN BRASS	砂青 ORB OIL RUB BRONZE	砂青 TB TUSCAN BRONZE (ORB WITH HIGHLIGHT)	不锈钢砂光 SATIN STAINLESS STEEL	不锈钢抛光 POLISHED STAINLESS STEEL	光铬 BRIGHT CHROME	砂铬 SATIN CHROME	白古 ANTIQUE NICKEL	砂镍 SATIN NICKEL
BHMA CODE	BHMA 编号	609	N/A	605	606	613	N/A	630	N/A	625	626	620	619
HAGER CODES	HAGER 编号	US5	US11	US3	US4	US10B	US11P	US32D	US32	US26	US26D	US15A	US15
产品型号 PRODUCT CODE	TD101	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TD102	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

钥匙槽说明(Keyways available):

KW1

SC1
(标准,Standard Keyway)

Y1

WR5

代码注释(How to order):

587 (产品型号MODEL) — PB (表面处理FINISH) — BK (性能FUNCTION)

产品功能表(Function list):

编号CODE	ET	ET	DM
名称 NAME	门锁 KEY ENTRY	门锁 KEY EENTRY	门闩锁 INTERIOR LOCK
描述 DESCRIPTION	单锁芯呆门锁 Single Cylinder Deadbolt	双锁芯呆门锁 Double Cylinder Deadbolt	门内旋钮操作锁舌 Interior Thumb Turn Deadbolt
型号 MODEL			
TD101	✓		
TD102		✓	

锁舌系列
LATCH SERIES

专利六用呆锁舌
Pt Deadbolts 6 Way Latch

专利六用三杆锁舌
Pt Tubular 6 Way Latch

专利插入式呆锁舌
Pt Deadbolt Drive-in Latch

专利插入式三杆锁舌
Pt Tubular Drive-in Latch

专利呆锁舌
Pt Deadbolts Latch

专利三杆锁舌
Pt Tudular Latch

三杆锁舌
Tubular Latch

锌合金压铸锁舌
Zinc Die-casting Latch

70mm筒式锁锁舌
70mm Backset Cylindrical Lacth

60mm筒式锁锁舌
60mm Backset Cylindrical Lacth

www.janes-lock.com.cn

实在坚士锁 • 只为主人开

THE REALIBLE JANES OPENS ONLY FOR THE HOST

Mortise lock series

豪华插芯门锁系列

L9971 PB/SS



(小号) Small size (J, JS, S)

(中号) Medium size (JM, M)

(大号) Large size (JL, L)

豪华锌合金把手插芯锁系列
ZINC MORTISE LOCK SERIES

产品特点：

- 适用于木门及钢门，可作大门锁及房门锁使用。
- 可提供特殊功能，在门外轻提执手即可使方舌弹出，无需用钥匙上锁，使用更方便。
- 特殊方杆设计，有效解决执手转动空间问题。
- 可提供JL和L系列(大号)、JM和M系列(中号)、J、JS和S系列(小号)三种不同尺寸的锁仪体及面饰件。
- 多款锌合金执手覆板可供选择。
- 适合35mm~55mm厚度的门上安装。

STANDARD FEATURES:

- Recommended for exterior and interior doors.
- Special deadbolt design for easy locking feature by just lifting up the outside lever to lock the deadbolf.
- Special spindle to allow more clearance for easy grip operation.
- Three series (JL & L, JM & M, J & JS & S) available in different sizes.
- Various styles of zinc levers and escutcheons are available.
- Applicable for 35mm~55mm (1-2/5" to 2-1/5") door thickness.

产品(Products):

L9446 PB/SS

L9547 PB/SS

L2253 SP/SS

L2060 PB/SS

L98124 PB/BS

JL6912 SP/SS

JL7016 SP/SS

JL6423 SP/SS

JL53C9 AB

JL53C15 SP/SS

JL58C9 SP/SS

JL6215 PB/BN

产品(Products):

M20105 BP/BS

M8649 SS

M9568 SP/SS

M92114 SP/SS

M2048 BS

M8246 PB/SS

M8131 PB/BN

JM6013 BN/SS BK

JM58C7 SP/SS

JM6625 SP/SS

JM68C7 SP/SS

JM7010 SP/SS

JM6226 SP/SS

JM6424 SP/SS

JM59C5 SP/SS

JM6916 SP/SS

产品(Products):

JS6416 SP/SS

JS6416 PB/BN

JS6412 SP/SS

JS6425 SP/SS

JS6423 SP/SS

JS64C7 PB/BN

JS6315 SP/SS BK

JS6215 PB/BN

JS6226 SP/SS

JS6212 SP/SS

JS5516 SP/SS BK

JS5516 PB/BS

JS55C15 AB

JS55C9 AB

JS68C7 SP/SS

JS68C9 SP/SS

产品(Products):

JS6010 SP/SS

JS58C9 SP/SS

JS58C9 SP/SS

JS53C15 AB

JS53C9 AB

JS6625 SP/SS

JS6624 SP/SS BK

JS6711 SP/SS

JS6711 BS

JS6211 SP/SS

JS60C11 SS

JS60C5 SS BK

JS6525 SP/SS

JS6115 SP/SS

JS52C17 PB/BN

JS6011 SP/SS

产品(Products):

JS59C16 SS

JS5916 SP/SS

JS59C7 SP/SS

JS59C5 SS

S9761 PB/BS

S9468 SP/SS

S9031 PB/BN ET

S8231 SP/SS ET

JS50C19 AE

JS50C19 AC

JS50C19 AB

JS51C18 AC

JS51C18 AB

JS51C18 AE

JS54C14 PB

JS54C14 AB

JL45C22 PB

(中号)
Medium size
(JM)

(大号)
Large size
(JL)

豪华欧式锌合金把手插芯锁系列
ZINC MORTISE LOCK SERIES

产品特点：

- 适用于木门及钢门，可作大门锁及房门锁使用。
- 可提供特殊功能，在门外轻提执手即可使方舌弹出，无需用钥匙上锁，使用更方便。
- 特殊方杆设计，有效解决执手转动空间问题。
- 可提供JL(大号)、JM(中号)两种不同尺寸的锁仪体及面饰件。
- 多款欧式锌合金执手覆板可供选择。
- 适合35mm~55mm厚度的门上安装。

STANDARD FEATURES:

- Recommended for exterior and interior doors.
- Special deadbolt design for easy locking feature by just lifting up the outside lever to lock the deadbolf.
- Special spindle to allow more clearance for easy grip operation.
- Two series (JL, JM) available in different sizes.
- Various styles of zinc levers and escutcheons are available.
- Applicable for 35mm~55mm (1-2/5" to 2-1/5") door thickness.

产品(Products):

JL71C4 AB

JL47C22 AB

JL45C22 AB

JL48C21 AB

JL72C1 AB

JL47C23 PB

JL71C1 PB/BN

JL45C2 PB/BN

JL47C24 PB/BN

JL46C23 AE

JL46C23 AB

JL46C22 PB

产品(Products):

JM71C2 PB

JM71C1 PB

JM42C24 PB

JM43C23 PB

JM44C24 PB/BN

JM72C4 PB/BN BK

JM72C3 AB

JM71C4 AB

JM48C21 AB

JM43C23 AB

JM46C23 AB

JM43C23 AC

JM43C25 AB

JM43C25 PB

JM45C22 PB

JM45C22 PB/BN

豪华欧式锌合金分体插芯锁系列
ZINC MORTISE LOCK SERIES

产品特点：

- 适用于木门及钢门，可作大门锁及房门锁使用。
- 可提供特殊功能，在门外轻提执手即可使方舌弹出，无需用钥匙上锁，使用更方便。
- 特殊方杆设计，有效解决执手转动空间问题。
- 可选用圆档盖(10系列)和平档盖(11系列)两种面饰件。
- 多款锌合金执手覆板可供选择。
- 适合35mm~55mm厚度的门上安装。

STANDARD FEATURES:

- Recommended for exterior and interior doors.
- Special deadbolt design for easy locking feature by just lifting up the outside lever to lock the deadbolt.
- Special spindle to allow more clearance for easy grip operation.
- Two different style roses available, 10 series for rose, and 11 series for flat rose.
- Various styles of zinc levers and escutcheons are available.
- Applicable for 35mm~55mm (1-2/5" to 2-1/5") door thickness.

1052 PB/BS

1052 PB/SP

1059 PB/SS

1060 PB/SS

代码注释(How to order):

587	PB	BK
(产品型号MODEL)	(表面处理FINISH)	(性能FUNCTION)

豪华欧式锌合金分体插芯锁系列
ZINC MORTISE LOCK SERIES

1061 SP/SS

1064 PB/SS

1065 SS

1066 BS

1068 SP/SS

1169 SP/SS

1070 PB/SS

1071 PB/SS

1075 BS

1077 BS

1078 PB BS

1080 SS

1081 BS

1085 BS

1086 SS

代码注释(How to order):

587	PB	BK
(产品型号MODEL)	(表面处理FINISH)	(性能FUNCTION)

豪华欧式锌合金分体插芯锁系列
ZINC MORTISE LOCK SERIES

1087 BS

1088 SS

1089 BS

1090 SS

1094 SP/SS

1098 BS

1099 PB/BS

10100 BS

10101 BS

10102 AC

10105 BS

11107 BS

10111 BS

10112 SS

10115 BS

代码注释(How to order):

587 (产品型号MODEL) PB (表面处理FINISH) BK (性能FUNCTION)

豪华欧式锌合金分体插芯锁系列
ZINC MORTISE LOCK SERIES

10116 AB

10118 BS

10120 PB

10122 BS

10123 BS

10125 BS

10130 SS

10136 SS

10140 BS

10145 SS

10147 SP/SS

11162 SP/SS

10163 BS

11167 SP/SS

11172 SP/SS

代码注释(How to order):

587 (产品型号MODEL) PB (表面处理FINISH) BK (性能FUNCTION)

豪华铝合金把手插芯锁系列
ALUMINIUM MORTISE LOCK SERIES

ALM3NA9 SM

ALM6NA10 SM

产品特点：
- 适用于木门及钢门，可作大门锁及房门锁使用。
- 可提供特殊功能，在门外轻提执手即可使方舌弹出，无需用钥匙上锁，使用更方便。
- 特殊方杆设计，有效解决执手转动空间问题。
- 可提供ALM系列(中号)、ALS系列(小号)两种不同尺寸的锁仪体及面饰件。
- 多款铝合金执手覆板可供选择。
- 适合35mm~55mm厚度的门上安装。



(小号)
Small size
(ALS)



(中号)
Medium size
(ALM)

STANDARD FEATURES:
- Recommended for exterior and interior doors.
- Special deadbolt design for easy locking feature by just liftting up the outside lever to lock the deadbolf.
- Special spindle to allow more clearance for easy grip operation.
- Two series (ALM & ALS) available in different sizes.
- Various styles of aluminium levers and escutcheons are available.
- Applicable for 35mm~55mm (1-2/5" to 2-1/5") door thickness.

产品(Products):

ALS13NA5 SM

ALS6NA5 SM

ALS13NA3 SM

ALS1NA1 SM

代码注释(How to order):

587 (产品型号MODEL) | PB (表面处理FINISH) | BK (性能FUNCTION)

豪华移门锁系列
SLIDING LOCK SERIES

JA01 PB/BN

JA02 SP/SS

JA03 PB/SS

JA04 SP/SS

JA05 SP/SS BK

JA06 SP/SS PS

JA07 PB BK

JA08 PB BK



产品特点：
- 适用于推拉门装置，可作为房门锁、浴室锁使用。
- 锁体小巧精致，加厚型方形覆板配内旋钮，钩舌插芯锁体结构设计，安装使用更方便。
- 适合35mm~50mm厚度的门上安装。

STANDARD FEATURES:
- Recommended for sliding doors.
- Compact body and hook latch design for convenient use.
- Applicable for 35mm~50mm (1-2/5" to 2") door thickness.

代码注释(How to order):

587 (产品型号MODEL) | PB (表面处理FINISH) | BK (性能FUNCTION)

豪华铜锻铸大门锁系列
BRASS HANDLESETS SERIES

CU91920 AB

产品特点：

- 适用于木门及钢门，可作大门锁及装饰锁使用。
- 欧式插芯锁体，设计参数符合欧洲标准。
- 具有快速逃生功能：在方舌上锁的情况下，在室内可用六角形执手同时开启方舌和斜舌，从而确保在紧急情况下迅速从室内逃生。
- 适合40mm~60mm厚度的门上安装。

STANDARD FEATURES:

- Recommended for exterior doors.
- The latest European style lock body design.
- Apply Anti-Panic function. Under this function, latch bolt and deadbolt can be opened by turning the hexagonal knob, so people can escape when there is dangerous inside the house.
- Applicable for 40mm-60mm (1-3/5" to 2-2/5") door thickness.

钥匙槽说明(Keyways available):				代码注释(How to order):		
KW1	SC1	Y1 (标准,Standard Keyway)	WR5	587 (产品型号MODEL)	PB (表面处理FINISH)	BK (性能FUNCTION)

产品(Products):

CU90990 PB



CU90970 PB

CU70880 PB/BS

CU91910 PB/BS

豪华锌合金大门锁系列
ZINC HANDLESETS SERIES

91910 PB/BS

产品特点：

- 适用于木门及钢门，可作大门锁及装饰锁使用。
- 欧式插芯锁体，设计参数符合欧洲标准。
- 具有快速逃生功能：在方舌上锁的情况下，在室内可用六角形执手同时开启方舌和斜舌，从而确保在紧急情况下迅速从室内逃生。
- 适合40mm~60mm厚度的门上安装。

STANDARD FEATURES:

- Recommended for exterior doors.
- The latest European style lock body design.
- Apply Anti-Panic function. Under this function, latch bolt and deadbolt can be opened by turning the hexagonal knob, so people can escape when there is dangerous inside the house.
- Applicable for 40mm~60mm (1-3/5" to 2-2/5") door thickness.

钥匙槽说明(Keyways available):				代码注释(How to order):		
KW1	SC1	Y1 (标准,Standard Keyway)	WR5	587 (产品型号MODEL)	PB (表面处理FINISH)	BK (性能FUNCTION)

产品(Products):

50510 PB

50520 PB

90950 PB/BS

90910 PB/BS

产品(Products):



91000 BS

50570 AB



91100 AB



90930 AB

产品(Products):



50580 AB



50570 AB



50530 AB



50540 AB

产品(Products):

70610 AB

70710 PB

90980 AB

50600 SP/SS

产品(Products):



90990 AC

90940 AC



90970 SP/SS

91170 AB

锁体系列
MORTISE LOCK CASE SERIES

产品(Products):

LC01

LC06

LC17

LC18

LC19

LC20

LC21

LC22

LC23

LC24

LC25

LC29

LC27

LC28


LC30



	LC01	LC06	LC17	LC18	LC19	LC20	LC21	LC22	LC23	LC24	LC25	LC27	LC28	LC29	LC30
D	85	85	72	72	95	72	85	75	50	50	63.5	85	85	93.8	75
W	60	45	54	55	53	54	53	53	50	52	52	60	60	70	60
B	83	68	85	85	71	84	71	71	70	70	72	86.5	85	70	67.5
L	172.5	172.5	155	155	117	138	117	117	90	90	109	173	155	140	125
P	238	238	235	235	200	235	200	175	129	129	160	238	235	203.2	172

Hardware series
五金系列

铁制千层锁系列
STEEL LAMINATED PADLOCK SERIES

1. 高强度锁钩，镀铬抗腐蚀性能好。
   Chrome plated hardened steel shackle.
2. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
3. 美国标准M1钥匙槽。
   Universal M1 keyway.
4. 锁体电镀锌，抗腐蚀性能好。
   Steel laminated body with zinc plating for corrosion resistance.



产品(Prdoucts):

STPL40-L　STPL50-S　STPL45-S　STPL40-S　STPL30-S　STPL25-S-PB

STPL25-S-PB　STPL30-S　STPL40-S　STPL40-L　STPL45-S　STPL50-S

铁制千层锁系列可选规格:

	产品规格 Specification	普通钩: S 中长钩: M 长钩: L	W (锁体宽度/mm) W (lock body ")	S (锁钩间距/mm) S (Shackle clearance ")	D (锁钩直径/mm) D (Shackle Diameter ")	锁胆锁珠数量 Pins
产品型号 PRODUCT CODE	STPL30-S		30mm (1-1/4")	22mm (7/8")	5mm (3/16")	4
	STPL40-S		40mm(1-1/2")	23mm (7/8")	6.4mm (1/4")	4
	STPL40-L		40mm (1-1/2")	51mm (2")	6.4mm (1/4")	4
	STPL45-S		45mm (1-3/4")	25mm (1")	7.9mm (5/16")	4
	STPL45-L		45mm (1-3/4")	63mm (2-1/2")	7.9mm (5/16")	4
	STPL50-S		50mm (2")	30mm (1-3/16")	9.5mm (3/8")	4
	STPLW25-S		25mm (1")	16.9mm (11/16")	4.2mm (3/16")	叶片锁胆，Disc tumbler
	STPLW30-S		30mm (1-1/4")	18mm (11/16")	4.5mm (3/16")	叶片锁胆，Disc tumbler
	STPLW40-S		40mm (1-1/2")	19.5mm (3/4")	6.4mm (1/4")	叶片锁胆，Disc tumbler
	STPLW45-S		45mm (1-3/4")	26.5mm (1-1/16")	7mm (1/4")	叶片锁胆，Disc tumbler

密码挂锁系列
DIAL COMBINATION SERIES

DPL40-S

1. 高强度锁钩，镀铬抗腐蚀性能好。
   Chrome plated hardened steel shackle.
2. 锁体电镀锌，抗腐蚀性能好。
   Steel body with zinc plating for corrosion resistance.
3. 使用密码开启，无需钥匙简单方便。
   Dial code to open the lock free from key.



密码挂锁系列可选规格(Specification):

产品型号 PRODUCT CODE	产品规格 Specification	普通钩: S 中长钩: M 长钩: L	W (锁体宽度/mm) W (lock body ")	S (锁钩间距/mm) S (Shackle clearance ")	D (锁钩直径/mm) D (Shackle Diameter ")
	DPL40-S		40mm (1-1/2")	25mm (1")	7.1mm (1/4")

铝挂挂锁系列
ALUMINIUM PADLOCK SERIES



1. 高强度锁钩，镀铬抗腐蚀性能好。
   Chrome plated hardened steel shackle.
2. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
3. 美国标准M1钥匙槽。
   Universal M1 keyway.



产品(Prdoucts):

APL40-S　APL30-S　APL20-S

铝挂锁系列可选规格:

	产品规格 Specification	普通钩: S 中长钩: M 长钩: L	W (锁体宽度/mm) W (lock body ")	S (锁钩间距/mm) S (Shackle clearance ")	D (锁钩直径/mm) D (Shackle Diameter ")	锁胆锁珠数量 Pins
产品型号 PRODUCT CODE	ALPL20-S		20MM (3/4")	11MM(7/16")	3.2mm(1/8")	3
	ALPL30-S		30MM (1-1/4")	15MM (19/32")	4.8mm(3/16")	4
	ALPL40-S		40MM (1-1/2")	24MM (15/16")	6.4mm(1/4")	4

铜挂锁系列
BRASS PADLOCK SERIES

1. 高强度锁钩，镀铬抗腐蚀性能好。
   Chrome plated hardened steel shackle.
2. 实心铜锁体结构，安全强度好。
   Solid brass lock body with maximize security.
3. 可选用工字珠以增强锁胆防撬性能。
   Spool pins available for picking resistance.
4. 美国标准M1钥匙槽。
   Universal M1 keyway.



产品(Products):

BRPL60-S　BRPL50-S　BRPL40-S　BRPL30-S　BRPL25-S　BRPL20-S

铜挂锁系列可选规格(Specification):

	产品规格 Specification	普通钩: S 中长钩: M 长钩: L	W (锁体宽度/mm) W (lock body *)	S (锁钩间距/mm) S (Shackle clearance *)	D (锁钩直径/mm) D (Shackle Diameter *)	锁胆锁珠数量 Pins
产品型号 PRODUCT CODE	BRPL20-S		20mm (3/4")	11mm (7/16")	3.2mm (1/8")	3
	BRPL25-S		25mm (1")	11mm (7/16")	4mm (3/16")	4
	BRPL30-S		30mm (1-1/4")	15mm (19/32")	4.8mm (3/16")	4
	BRPL40-S		40mm (1-1/2")	24mm (15/16")	6.4mm (1/4")	5
	BRPL40-M		40mm (1-1/2")	38mm (1-1/2")	6.4mm (1/4")	5
	BRPL40-L		40mm (1-1/2")	63mm (2-1/2")	6.4mm (1/4")	5
	BRPL50-S		50mm (2")	27mm (1-1/16")	8mm (5/16")	5
	BRPL60-S		60mm (2-3/8")	33.2mm (1-1/4")	9.5mm (3/16")	5

外装门锁系列
RIM LOCK SERIES

J9243AL

J9318BL

J9201WL

方型防盗锁系列
LATCH LOCK SERIES



1. 高强度可锁死锁舌。
   Solid steel keyed deadbolt.
2. 可选用工字珠以增强撬胚防撬性能。
   Spool pins available for picking resistance.
3. 可选普通钥匙, 或者十字钥匙。
   Flat and cross key availlabe for selection.

产品(Products):

LL800-FL



LL900-FL

产品功能表(Specification):

产品型号 ITEM#	锁舌功能 Function	开门方向 Door Handling	钥匙 Keys	锁胆锁珠数量 Pins
LL800-FL	固定式锁舌 Fixed bolt	左开门 Left hand door	普通钥匙 Flat key	5颗锁珠 5pins
LL800-FR	固定式锁舌 Fixed bolt	右开门 Right hand door	普通钥匙 Flat key	5颗锁珠 5pins
LL800-LL	活动式锁舌 Loose bolt	左开门 Left hand door	普通钥匙 Flat key	5颗锁珠 5pins
LL800-LR	活动式锁舌 Loose bolt	右开门 Right hand door	普通钥匙 Flat key	5颗锁珠 5pins
LL900-FL	固定式锁舌 Fixed bolt	左开门 Left hand door	十字钥匙 Cross key	6颗锁珠 6pins
LL900-FR	固定式锁舌 Fixed bolt	右开门 Right hand door	十字钥匙 Cross key	6颗锁珠 6pins
LL900-LL	活动式锁舌 Loose bolt	左开门 Left hand door	十字钥匙 Cross key	6颗锁珠 6pins
LL900-LR	活动式锁舌 Loose bolt	右开门 Right hand door	十字钥匙 Cross key	6颗锁珠 6pins

外装门锁系列
RIM LOCK SERIES

产品(Products):

3974GL

3972GL

3973GL



3975RL

3950GL

3946GL

美式外装门锁锁胆系列
RIM AND MORTISE CYLINDER SERIES



1 可选用美式标准钥匙槽KW1, Y1, SC1, IN33。
Universal KW1, Y1, SC1, IN33 keyways available.

2 可选用工字珠以增强锁胆防撬性能。
Spool pins available for picking resistance.

产品功能表(Function list):

产品型号 ITEM#	功能 Function	材质 Material
MC1-KW1	1" 美式外装门锁锁胆, 带外螺纹, KW1钥匙槽 Mortise Cylinder 1" KW1	铜材质 Brass
MC1-SC1	1" 美式外装门锁锁胆, 带外螺纹, SC1钥匙槽 Mortise Cylinder 1" SC1	铜材质 Brass
MC1-Y1	1" 美式外装门锁锁胆, 带外螺纹, Y1钥匙槽 Mortise Cylinder 1"Y1	铜材质 Brass
MC118-KW1	1-1/8" 美式外装门锁锁胆, 带外螺纹, KW1钥匙槽 Mortise Cylinder 1-1/8" KW1	铜材质 Brass
MC118-SC1	1-1/8" 美式外装门锁锁胆, 带外螺纹, SC1钥匙槽 Mortise Cylinder 1-1/8" SC1	铜材质 Brass
MC118-Y1	1-1/8" 美式外装门锁锁胆, 带外螺纹, Y1钥匙槽 Mortise Cylinder 1-1/8" Y1	铜材质 Brass
MC114-KW1	1-1/4" 美式外装门锁锁胆, 带外螺纹, KW1钥匙槽 Mortise Cylinder 1-1/4" KW1	铜材质 Brass
MC114-SC1	1-1/4" 美式外装门锁锁胆, 带外螺纹, SC1钥匙槽 Mortise Cylinder 1-1/4" SC1	铜材质 Brass
MC114-Y1	1-1/4" 美式外装门锁锁胆, 带外螺纹, Y1钥匙槽 Mortise Cylinder 1-1/4" Y1	铜材质 Brass
RC-KW1	美式外装门锁锁胆, KW1钥匙槽 Rim Cylinder KW1	铜材质 Brass
RC-SC1	美式外装门锁锁胆, SC1钥匙槽 Rim Cylinder SC1	铜材质 Brass
RC-Y1	美式外装门锁锁胆, Y1钥匙槽 Rim Cylinder Y1	铜材质 Brass
ZRC-KW1	美式外装门锁锁胆, KW1钥匙槽 Rim cylinder, KW1, (diecast)	锌合金材质 Zinc
ZRC-SC1	美式外装门锁锁胆, SC1钥匙槽 Rim cylinder, SC1, (diecast)	锌合金材质 Zinc
ZRC-IN33	美式外装门锁锁胆, IN33钥匙槽 Rim cylinder, IN33, (diecast)	锌合金材质 Zinc

建筑小五金系列
DIY CONSTRUCTION HARDWARE SERIES

J7300

J7220

J7200

J7060


J8500

J5350

J8888A

J8888B











J7578



2"



1-1/2"

J8252

J8237

1-1/2" x 3/4"



5/8" x 1-3/4"

1-6/9' x 1-1/4"

J0306



J8887





J0770





J4277BE

J8683ZN



4-1/2"

3-1/4"

J7313

4"

3"

J6058

6"

4-1/2"

3-1/4"

GALVANIZED DURABILITY

2-1/2"

1-3/4"

J7198





6"

GALVANIZED DURABILITY

4-1/2"

3-1/4"

J7263

7"

GALVANIZED DURABILITY

7-1/4"

J6950



J9434



J1737



J1174



J2321





J2362





J9285



门用五金安装辅助工具
DOOR HARDWARE INSTALLATION KIT

KKQ-001

产品特点：
- 产品适用于木质门使用。
- 产品适用于大门和房间内门使用。

STANDARD FEATURES:
- Fits wood doors.
- Perfect for interior and exterior doors.

1. 用于圆筒式门锁开孔辅助定位。
   Applicable for drilling door lock mounting holes.

2. 用于锁舌扣板开孔辅助定位。
   Applicable for drilling strike plate holes.

3. 门铰链开孔辅助定位。
   Applicable for chiseling hinge recess.

JANES LOCK
坚士制锁

实在坚士锁 • 只为主人开
THE REALIBLE JANES OPENS ONLY FOR THE HOST